



# CYCLONE SHREDDER

Bridging the gap between  
batwing and flail mower



[www.major-usa.com](http://www.major-usa.com)



# Cyclone Shredder

Bridging the gap between batwing and flail mower

The MAJOR Cyclone Shredder has been designed to do the work of a flail mower but requires a fraction of the power and fuel that a similar sized flail mower would consume.

These machines are ideal for every day **grassland management** and the **shredding** of corn, cotton, maize, milo stalks, potato vines, sugar-beet tops and other crops.

The MAJOR Cyclone is also ideal for **orchard maintenance** to enable disease control and maximise yield potential. The unique blade system delivers a fine mulch and even distribution of mulched material. This speeds up the decomposition process and puts **nutrients** and moisture back into the soil.

The MAJOR Cyclone is manufactured using Strenx® 700 MC high-strength steel and hot-dip galvanized to increase the lifespan of the machine.




Scan the QR code with your phone to see product videos!



MJ30-560



Blades



Roller ends



MJ30-630

- ✓ Impressive forward speeds
- ✓ No wind rowing
- ✓ Requires 50% less HP input than a flail mower
- ✓ Even distribution of cut material
- ✓ Multi-purpose; ideal for grass cutting and heavy scrub management



MJ30-560

## Features:

Four models in working widths from 9' to 21'

Produced from Strenx® 700, a material 2½ times stronger than standard steels used in agricultural machinery production.

Unique heavy duty blade system for maximum mulching and shredding.

Minimum 50% less power and fuel consumption required than a similar sized flail mower.

Low maintenance machine with less wearing parts than a flail mower.

Heavy duty rollers on each deck.

High density rubber inserts are fitted on the MJ30-920 rollers to deliver efficient vibration reduction.

Hardox® 450 undersole discs.

Specifications	MJ31-280	MJ30-420DW	MJ30-560	MJ30-630
Overall width	10'	14' 6"	19'	21' 4½"
Cutting width	9' 2"	14'	18' 4"	20' 8"
Transport width	10'	6' 7"	6' 7"	9' 1¼"
Power (HP)	80-120HP	90-150HP	100-150HP	140-190HP
PTO (rpm)	540	1,000	1,000	1,000
Cutting height	2" to 6¾"	2" to 6¾"	2" to 6¾"	2" to 6¾"
No. of Rotors	4	6	8	9
No. of Blades	16	24	32	36
Weight	2,083 lbs.	3,000 lbs.	3,700 lbs.	4,130 lbs.
Blade speed	11,400 FPM	11,400 FPM	11,400 FPM	11,400 FPM



MJ30-560



MJ30-420DW



MJ31-280



## About Major

Since 1976, Major Equipment continuously innovates and engineers reliable and easy to operate tractor-powered equipment with the strength and stamina for agricultural, grounds maintenance and industrial settings.

### **MAJOR. Quality, resilience, and pride.**

Every MAJOR product stands for the quality, resilience and pride that reflects its agricultural roots. The family-owned and operated business is based in the West of Ireland, a country renowned for engineering excellence.

### **Major Equipment Intl Ltd**

Ballyhaunis, Co. Mayo, F35 C891, Ireland.  
Tel: 001 353 9496 30572  
Email: [info@major-usa.com](mailto:info@major-usa.com)  
[www.major-usa.com](http://www.major-usa.com)



[www.major-usa.com](http://www.major-usa.com)



@MajorEquipmentUSA